

TEMPORARY FENCING



csseuro.com




sales@csseuro.com

»CSS TRADING
GROUP ■

CONTENTS

Temporary Fencing	3
Temporary Fences Gates	5
Temporary Fences Stillages	6
Temporary Hoarding	7
Temporary Hoarding Stillage	7
Temporary Hoarding Gates	7
Pedestrian Barriers	8
Pedestrian Barrier Gates	10
Pedestrian Barrier Stillages	10
Event Barrier Systems	11
Cycle Barrier	11
Police Barrier	11
Police Barriers Euro	11
Stabiliser Systems	12
Stabiliser Components	13
Accessories	14
Netting and Covers	17
Site Safety	18
Scaffold Products	18
Smartguard Trestle System	18
Print Services	19



We offer a comprehensive range of panels, manufactured to the highest possible standards, made to order and delivered directly to your site so you can be confident that we can meet all site situations and local health and safety requirements.

We have an extensive range of accessories to complement our panel systems including:

- Thermo-plastic and concrete bases
- Standard and lockable fence couplers
- Pedestrian and vehicle gates
- Height extension panels
- Stabilising systems

All our temporary fences can be powder coated in a colour of your choice.

Fence Panel Ranges

Our fence panels are split into two different series: the Square Top (ST) and the Round Top (RT)

Product Range	Mesh Type	Options
ST30	Standard	CP
RT38	Anticlimb	3V
ST30	Euro	220

1 Frame Styles

ST



ST25

Horizontal Tube Diameter: 25mm
Vertical Tube Diameter: 38mm

ST30:

Horizontal Tube Diameter: 30mm
Vertical Tube Diameter: 40mm

ST48:

Horizontal Tube Diameter: 38mm
Vertical Tube Diameter: 38mm

RT



RT38:

Horizontal Tube Diameter: 38mm
Vertical Tube Diameter: 38mm

2 Mesh Types

Standard



Vertical Pitch: 100mm
Vertical Wire Diameter: ø2.2
Horizontal Pitch: 262mm
Horizontal Wire Diameter: ø3.2

Euro




Vertical Pitch: 100mm
Vertical Wire Diameter: ø3.2
Horizontal Pitch: 262mm
Horizontal Wire Diameter: ø3.2

Anticlimb




Vertical Pitch: 43mm
Vertical Wire Diameter: ø2.2
Horizontal Pitch: 262mm
Horizontal Wire Diameter: ø3.2

3 Options



Special Length

Some panels are available in differing lengths. We can also create bespoke special lengths for your requirements.



CP

Adding corner plates increases the strength of the panel joint where they are used.



3V

These options can add either a vertical or horizontal tube into the centre of the panel.

3H

ST25

Our ST25 range has horizontal tube diameters of 25mm and vertical tube diameters of 38mm and is available in Standard and Anticlimb mesh with the option of corner plates.

Frame	Dimension (mm)	Weight (Kg)
ST25 Standard	3450 x 2025	11.2
ST25 Standard CP	3450 x 2025	11.7
ST25 Anticlimb	3450 x 2025	13.6
ST25 Anticlimb CP	3450 x 2025	14.1



ST30

Our ST30 range has horizontal tube diameters of 30mm and vertical tube diameters of 40mm and is available in Euro and Anticlimb mesh with the option of corner plates and additional vertical or horizontal centre tubes.



Frame	Dimension (mm)	Weight (Kg)
ST30 Euro (Barrier)	3452 x 1200	10.8
ST30 Euro	3452 x 2025	15
ST30 Euro CP	3452 x 2025	15.5
ST30 Euro 3V	3452 x 2025	16.5

Frame	Dimension (mm)	Weight (Kg)
ST30 Euro CP 3V	3452 x 2025	17
ST30 Euro 3H	3452 x 2025	17.4
ST30 Euro CP 3H	3452 x 2025	17.9
ST30 Anticlimb	3452 x 2025	15.4
ST30 Anticlimb CP	3452 x 2025	15.9
ST30 Anticlimb 3V	3452 x 2025	16.9
ST30 Anticlimb CP 3V	3452 x 2025	17.4
ST30 Anticlimb 3H	3452 x 2025	17.8
ST30 Anticlimb CP 3H	3452 x 2025	18.3
ST30 Euro 220	2195 x 2025	11.2
ST30 Euro 220 CP	2195 x 2025	11.7
ST30 Euro 220 3H	2195 x 2025	12.7
ST30 Euro 220 CP 3H	2195 x 2025	13.2

ST38

Our ST38 range has horizontal and vertical tube diameters of 38mm and is available in Standard and Anticlimb mesh with the options of corner plates and additional horizontal or vertical centre tubes.

Frame	Dimension (mm)	Weight (Kg)
ST38 Standard	3450 x 2025	13.4
ST38 Standard CP	3450 x 2025	13.9
ST38 Anticlimb	3450 x 2025	15.8
ST38 Anticlimb CP	3450 x 2025	16.3
ST38 Anticlimb CP 3V	3450 x 2025	17.9
ST38 Anticlimb CP 3H	3450 x 2025	19.4
ST38 Anticlimb 285	2850 x 2025	13.6







RT38

Our RT38 range has horizontal and vertical tube diameters of 38mm and is available in Standard, Euro and Anticlimb mesh with the option of adding additional horizontal or vertical centre tubes. Corner plates are fitted throughout the RT38 range.




Frame	Dimension (mm)	Weight (Kg)
RT38 Standard	3450 X 2000	13.4
RT38 Standard 3V	3450 X 2000	15
RT38 Standard 3H	3450 X 2000	16.5
RT38 Euro	3450 X 2000	15.4
RT38 Euro 3V	3450 X 2000	17
RT38 Euro 3H	3450 X 2000	18.4
RT38 Anticlimb	3450 X 2000	15.9
RT38 Anticlimb 3V	3450 X 2000	17.5
RT38 Anticlimb 3H	3450 X 2000	19
RT38 Anticlimb 175	1750 x 2000	9.7

Temporary Fences: Gates




Temporary Fences: Stillages

Round Top Configuration




Square Top Configuration



Holds 30 Panels

Universal Fence Panel Stillage
Weight: 13.1kg
Finish: Pre-Galvanised




Transport Pallet 30
Weight: 95.5kg
Finish: Post Galvanised
Holds 30 Panels

Transport Pallet 26
Weight: 90.5kg
Finish: Post Galvanised
Holds 26 Panels

Transport Pallet 30 2.2m
Weight: 77.2kg
Finish: Post Galvanised
Holds 30 Panels


Spreader bars must be used when double stacking Transport Pallet 30/26 full stillages



Transport Pallet 30 Spreader Bar
Weight: 7.5kg
Finish: Pre-Galvanised

Transport Pallet 26 Spreader Bar
Weight: 6.5kg
Finish: Pre-Galvanised

For use with Transport Pallet 30



Transport Block Pallet
Weight: 148kg
Finish: Post Galvanised

The ORIGINAL Combi Pallet



Holds 30 Panels and blocks

Transport Pallet KP30
Weight: 168.4kg
Finish: Post Galvanised



We have a selection of stabilising options to withstand the worst weather conditions and an extensive range of accessories to complement our hoarding system, including:




- Vehicle and pedestrian gates
- Half mesh view panels
- Height extension panels
- Privacy infill panels

All our temporary hoarding can be powder coated in a colour of your choice




Temporary Hoarding: Panels

All our Temporary Hoarding panels offer both strength and durability to meet the rigours of construction site use and are complemented with a range of accessories.

Frame	Dimension (mm)	Weight (Kg)	Finish
Steel Hoarding Panel 2m	2140 x 1980	25.3	Pre-Galvanised
Steel Hoarding Panel 2.4m	2140 x 2380	30	Pre-Galvanised



Temporary Hoarding: Gates





Pedestrian Barriers

Fixed Leg Barrier

Bar Barrier

Mesh Barrier

All our pedestrian barriers can be powder coated in a colour of your choice

SmartWeld Fixed Leg Barrier



The Fixed Leg Barrier is our most popular barrier product due to its unique construction that incorporates an integral connection system and fixed legs.

SmartWeld barriers are constructed using the latest braze welding technology that offers improved strength and resistance to corrosion.

Frame	Dimension (mm)	Frame Ø (mm)	Infill	Weight (Kg)	Finish
SmartWeld 2.3 Fixed Leg Barrier	2262 x 1100	38.1	12mm Tube 112mm Aperture	10.6	Pre-Galvanised
SmartWeld 2.5 Fixed Leg Barrier	2510 x 1100	38.1	12mm Tube 112mm Aperture	11.5	Pre-Galvanised




Hook and eye



Patented leg strengthening bar



Name plate for corporate logo



Reflective board



Swaged end safety foot



Non-marking barrier socks

SmartWeld Bar Barrier



The main feature of the Bar Barrier is that it can be used with a variety of feet including flat feet which reduce tripping hazards.

SmartWeld barriers are constructed using the latest braze welding technology that offers improved strength and resistance to corrosion.

Frame	Dimension (mm)	Frame Ø (mm)	Infill	Weight (Kg)	Finish
SmartWeld 2.3 Fixed Leg Barrier	2262 x 1100	38.1	12mm Tube 112mm Aperture	10.6	Pre-Galvanised
SmartWeld 2.5 Fixed Leg Barrier	2510 x 1100	38.1	12mm Tube 112mm Aperture	11.5	Pre-Galvanised



Hook and eye



Name plate for corporate logo



Double flat foot



Single flat foot



Concrete & plastic foot

ST30 Euro Barrier



The Euro Mesh Pedestrian Barrier is our most economical form of low-level demarcation. The lightweight barrier is 3.5 metres in length and has a welded mesh infill making it a popular choice for construction site use.

Frame	Dimension (mm)	Frame Ø (mm)	Weight (Kg)	Finish
ST30 Euro Barrier	3452 x 1200	40 Vertical 30 Horizontal	10.8	Pre-Galvanised



Coupler



Name plate for corporate logo



Double flat foot



Single flat foot



Concrete foot

Fixed Leg Barrier 2.5 HDG (Eco)



This barrier has the convenience of being of single piece construction, it has a frame of 25mm diameter tube that makes it extremely economical to transport between sites.

Frame	Dimension (mm)	Frame Ø (mm)	Infill	Weight (Kg)	Finish
Fixed Leg Barrier 2.5 HDG (Eco)	2591 x 1100	25	13mm Diameter 111mm Aperture	14.2	Post Galvanised



Hook and eye



Patented leg strengthening bar

Heavy Duty HDG Barriers



Heavy Duty Post Galvanised Barriers are often used in areas of extreme weather conditions and can be customised with reflective boards to comply with local traffic regulations and standards.

Frame	Dimension (mm)	Frame Ø (mm)	Infill	Weight (Kg)	Finish
Fixed Leg Barrier 2.3 HDG	2404 x 1100	38.1	8mm Diameter 115mm Aperture	15	Post Galvanised
Fixed Leg Barrier 2.3 HDG Reflective Board	2404 x 1100	38.1	8mm Diameter 115mm Aperture	16.5	Post Galvanised
Bar Barrier 2.3 HDG	2404 x 1100	38.1	8mm Diameter 115mm Aperture	13.7	Post Galvanised
Bar Barrier 2.3 HDG Reflective Board	2404 x 1100	38.1	8mm Diameter 115mm Aperture	15.2	Post Galvanised



Hook and eye



Patented leg strengthening bar



Double flat foot



Single flat foot

Note: The Bar Barrier 2.3 HDG and Bar Barrier 2.3 HDG Reflective do not come supplied with single flat feet.

Pedestrian Barrier: Gates



Fixed Leg (Walk Through) Barrier

Dimension: L:2266mm x
H:2143mm
Weight: 12.9kg

Frame diameter: 38.1mm
Finish: Pre-Galvanised & Powder
Coated



Fixed Leg (Walk Through c/w Gate) Barrier

Dimension: L:2266mm x
H:2143mm
Weight: 18.7kg

Frame diameter: 38.1mm
Finish: Pre-Galvanised & Powder
Coated

Pedestrian Barrier: Stillages



Holds 50 Barriers

Barrier Stillage 50
Weight: 84kg
Finish: Post Galvanised



Holds 25 Barriers

Barrier Stillage 25
Weight: 58kg
Finish: Self Coloured

All our event barrier systems can be powder coated in a colour of your choice.

Cycle Barrier



Cycle Barrier 3m

Dimension: L:3000mm x H:1300mm x

W:56mm

Weight: 35kg

Finish: Pre-Galvanised & Powder Coated




Cycle Barrier Foot

Dimension: L:861mm x H:191mm x

W:150mm

Weight: 12.9kg

Finish: Pre-Galvanised & Powder Coated



Holds 20 Barriers

Cycle Barrier Stillage

Dimension: L:3232mm x H:1600mm x

W:1200mm

Weight: 148kg

Finish: Pre-Galvanised & Powder Coated

Police Barrier



Police Barrier 1.5m

Dimension: L:1526mm x

H:1065mm x W:705mm

Frame: 33.7mm diameter

Infill: 3.9mm dia Wire

50mm Aperture

Weight: 26kg

Finish: Post Galvanised



Police Barrier Gate HD (5ft)

Dimension: L:1602mm x

H:1106mm

Frame: 33.7mm diameter

Infill: 3.9mm dia Wire

50mm Aperture

Weight: 22kg

Finish: Post Galvanised

Police Barrier Gate HD (8ft)

Dimension: L:3052mm x

H:1106mm

Frame: 33.7mm diameter

Infill: 3.9mm dia Wire

50mm Aperture

Weight: 33.5kg

Finish: Post Galvanised



Police Barrier - Stillage

Weight: 46kg

Finish: Post Galvanised



Police Barrier Gate - Stillage

Weight: 115kg

Finish: Post Galvanised

Police Barriers Euro



Police Barrier Collapsible

Dimension: L:2187mm x

H:1090mm x W:1004mm

Frame dia: 33.7mm

Weight: 48.5kg

Finish: Post Galvanised



Holds 12 Barriers

Police Barrier Collapsible Stillage

Weight: 28kg

Finish: Post Galvanised



Police Barrier Stiff

Dimension: L:2100mm x

H:1110mm x W:937mm

Weight: 39kg

Finish: Post Galvanised



Holds 35 Barriers

Police Barrier Stiff Stillage

Weight: 100kg

Finish: Post Galvanised

F Fencing **H** Hoarding **B** Barriers

Stabiliser Systems



Fence Stabiliser

Finish: **Pre-Galvanised**

F Fencing Stabiliser



Fence Stabiliser and Cross Brace

Finish: **Pre-Galvanised**

F Fencing Stabiliser

F Fencing Stabiliser Brace



Fence Stabiliser with Brace

Finish: **Pre-Galvanised**

F Fencing Stabiliser with Cross Brace



Zero-Trip Base and Cranked Stabiliser

Finish: **Pre-Galvanised**

F **H** Zero-Trip Cranked Stabiliser

F **H** Zero-Trip Stabiliser Base



Fence Stabiliser (HSG151) Small

Finish: **Pre-Galvanised**

F Fence Stabiliser (HSG151) Small



Stabiliser with Plate for Ground Pin

Finish: **Pre-Galvanised**

F Fence Stabiliser with Plate – Euro

F Ground Pin – Euro




Stabiliser with Plate & Spigot

Finish: **Post Galvanised**

F Stabiliser with Plate & Spigot – Euro

F Ground Pin – Euro



Fence Stabiliser c/w Large Plate - Euro

Finish: **Post Galvanised**

F **H** Folding Stabiliser - Euro

F Ground Pin – Euro



Hoarding Stabiliser and Cross Brace with Block Tray

Finish: **Pre-Galvanised**

F **H** Hoarding Stabiliser

F **H** Hoarding Stabiliser Brace

F **H** Hoarding Block Tray Rear



Hoarding Stabiliser with Brace and Block Tray

Finish: **Pre-Galvanised**

F **H** Hoarding Stabiliser with Cross Brace

F **H** Hoarding Block Tray Rear



Big Foot Stabiliser

Finish: **Pre-Galvanised**

F **H** Big Foot Block Tray

F **H** Big Foot Tubular Spigot Base

F **H** Big Foot Stabiliser HD



Big Foot Stabiliser - Reduced Footprint

Finish: **Pre-Galvanised**

F **H** Big Foot Block Tray

F **H** Windbreaker Zero - Trip Foot

F **H** Windbreaker Bottom Stabiliser - Reduced Footprint



Windbreaker Stabiliser

Finish: **Pre-Galvanised**

F **H** Windbreaker Zero - Trip Foot

F **H** Windbreaker Bottom Tube

F **H** Windbreaker Block Tray

F **H** Hoarding Stabiliser



Windbreaker Stabiliser - Reduced Footprint

Finish: **Pre-Galvanised**












F **H** Windbreaker Zero - Trip Foot

F **H** Windbreaker Bottom Tube - Reduced Footprint








F **H** Windbreaker Block Tray

F **H** Windbreaker Bottom Stabiliser - Reduced Footprint

Stabiliser Components



F Fencing **H** Hoarding **B** Barriers



F Fencing **H** Hoarding **B** Barriers



F **H** **B**

Fence Coupler

Weight: 0.28kg

Finish: Pre-Galvanised



F **B**

Gripper Coupler Lite

Weight: 0.22kg

Finish: Electro Galvanised



F **H** **B**

Heavy Duty Fence Coupler (Gripper)

Weight: 0.4kg

Finish: Electro Galvanised




F **H** **B**

Heavy Duty Lockable Coupler (Griplock)

Weight: 0.4kg

Finish: Electro Galvanised



F **B**

Fence Coupler - Euro

Weight: 0.3kg

Finish: Post Galvanised



F **H** **B**

Lockable Coupler - Euro

Weight: 0.3kg

Finish: Post Galvanised



F **H** **B**

Fence Coupler HD - Euro

Weight: 0.9kg

Finish: Post Galvanised



F **H**

Scaffold 2 Hoard Coupler

Weight: 0.75kg

Finish: Electro Galvanised



F **H**

Lockable Gate Hinge Coupler

Weight: 0.6kg

Finish: Electro Galvanised



F **H**

In Ground Scaffold 2 Fence Coupler

Weight: 0.9kg

Finish: Electro Galvanised



F **H** **B**

Coupler Spanner

Weight: 0.5kg

Finish: Hard Chrome



F **H** **B**

Lockable Coupler Spanner Socket

Weight: 0.1kg

Finish: Hard Chrome



F

Gate Hinge Galv

Weight: 1.2kg

Finish: Post Galvanised



F

Pedestrian Gate Ring

Weight: 0.35kg

Finish: Electro Galvanised



F **H**

Castor Assembly Large - Euro

Weight: 0.8kg

Finish: Electro Galvanised



F **H**

Castor Wheel Assembly

Weight: 0.5kg

Finish: Pre-Galvanised



F

Fence Label (196x80)

Weight: 0.04kg

Finish: Printed



F

Fence Label (272x100)

Weight: 0.07kg

Finish: Printed



H **B**

Barrier Adhesive Label

Weight: N/A

Finish: Printed



F **H**

Panel Hook & Eye

Weight: 0.1kg

Finish: Electro Galvanised



F **H** **B**

Anti-Climb Extension Panel Galv

Weight: 8.4kg

Finish: Pre-Galvanised



B

Fence Panel Pedestrian Handrail

Weight: 3.7kg

Finish: Pre-Galvanised



F **H**

Female Gate Post for Pedestrian Gate

Weight: 1.8kg

Finish: Pre-Galvanised












B

Gantry Entrance Panel*

Weight: 24.7kg

Finish: Pre-Galvanised

F Fencing **H** Hoarding **B** Barriers



Emergency Exit Gate

Weight: 43Kg



Accessories: Netting & Covers

Fence Covers

	Weight
Fence Cover Black 3.5 x 1.76	1kg
Fence Cover Black 3.5 x 1.76 (FR)	1kg
Fence Cover White 3.5 x 1.76	1kg
Fence Cover White 3.5 x 1.76 (FR)	1kg
Fence Cover Blue 3.5 x 1.76	1kg
Fence Cover Blue 3.5 x 1.76 (FR)	1kg
Fence Cover Green 3.5 x 1.76	1kg
Fence Cover Green 3.5 x 1.76 (FR)	1kg

Acoustic Covers

	Weight
Acoustic Fence Cover 1.2 x 2.0	6kg
Acoustic Fence Cover 1.8 x 2.0	9kg
Acoustic Fence Cover 'S' Clip 13	73g
Acoustic Fence Cover 'S' Clip 20	112g

Printed Banners

	Weight
Printed Banner Solid 3.5 x 1.8	2.7kg
Printed Banner Mesh 3.5 x 1.8	2.4kg

Netting

	Weight
Tennis Net Green 50 x 1.8	13.5kg

We supply a wide range of site safety equipment to meet our customers' needs. You'll find our high quality standards and our service just as reliable as our fencing, hoarding and barrier products.

Scaffold Products



Ladder Access Gate (Spring Return)

Weight: 11kg

Finish: Electro Galvanised & Powder Coated



Pin with Wire

Weight: 0.05kg

Finish: Electro Galvanised



Scaffold Bin

Weight: 62kg

Finish: Pre-Galvanised



Scaffold Stillage

Weight: 30.8kg

Finish: Pre-Galvanised



No.1 Builders Trestle (Painted) Round

Weight: 7.2kg

Finish: Powder Coated



No.2 Builders Trestle (Painted) Round

Weight: 9.1kg

Finish: Powder Coated



No.3 Builders Trestle (Painted) Round

Weight: 10.5kg

Finish: Powder Coated


Smartguard Hand Rail System



Smartguard Panel

Weight: 8.3kg

Finish: Powder Coated



Smartguard End Panel

Weight: 8.3kg

Finish: Powder Coated



Smartguard Half Panel

Weight: 6kg

Finish: Powder Coated



Smartguard Access Gate

Weight: 8.7kg

Finish: Powder Coated



Smartguard Post

Weight: 3.5kg

Finish: Powder Coated



Smartguard Stabiliser

Weight: 3.7kg

Finish: Powder Coated



Smartguard Handrail

Weight: 1.2kg

Finish: Powder Coated



Smartguard End Handrail

Weight: 1.3kg

Finish: Powder Coated



Smartguard Ladder Access Bracket

Weight: 3kg

Finish: Powder Coated



Smartguard Bridging Deck

Weight: 6.7kg

Finish: Powder Coated



Smartguard Return Bridging Deck

Weight: 5.8kg

Finish: Powder Coated







Smartguard Return Pins

Weight: 1.1kg

Finish: Powder Coated


We offer a convenient in-house printing solution providing fencing, hoarding and barrier products that are manufactured, branded, delivered and ready to use.

We can manage all post-manufacture print installation, from basic labelling to full banner coverings and using the latest techniques in UV printing technology we can provide printed products that are:

- | | |
|--|--|
|  Scratch resistant |  Waterproof |
|  Colour consistent |  Fade resistant |

We can also provide a wide range of printable media on which to place your print including:

- Diabond
- PVC foam board
- PVC banner material
- PVC mesh
- Paper
- Vinyl
- Bubble board
- Sheet aluminum





CSS Europe GmbH
Wittichenauer Straße 6,
53604 Bad Honnef,
Germany



sales@csseuro.com



csseuro.com



Building Tommorrow, Supplying Today!